



Product Data Sheet

Color Machine Film



Effective 01/2017

Item ID Numbers:

(ZMF2063, ZMF2070, ZMF2080, ZMF2090, ZMF20100) in All Colors
(ZMF3080, ZMF3090, ZMF30100) All Colors

Colors: Dark / Tinted (Black, Blue,Red,Orange,Green,Yellow,Purple,white)

Nominal Values:

Film Properties	ASTM Test Method	63 Gauge	70 Gauge	80 Gauge	90 Gauge	100 Gauge
Tensile @ Break MD (psi)	D-882	6,000	6,800	6,200	6,200	6,000
Tensile @ Break TD (psi)	D-882	4,100	4200	4,100	4,000	4,100
Tensile @ Yield MD (psi)	D-882	1,250	1,250	1,330	1,400	1,500
Tensile @ Yield TD (psi)	D-882	1,100	1,100	1,150	1,250	1,300
Elongation MD (%)	D-882	580	650	500	525	550
Elongation TD (%)	D-882	820	780	610	600	675
Elmendorf Tear MD (g/mil)	D-1922	330	325	500	325	300
Elmendorf Tear TD (g/mil)	D-1922	650	640	900	535	530

Wrap Tite, Inc.
6200 Cochran Rd.
Solon, Ohio 44139
Toll Free: 888-WRAP TITE (972-7848)
Fax: 440-349-5432
www.wraptite.com – info@wraptite.com



NOTE: MD = Machine Direction

TD = Transverse Direction