



SHIELD SAFETY

POWDER-FREE DISPOSABLE GLOVES

For safe food contact and handling

NITRILE NON-EXAM

• Finger-textured

Item ID	Sizes	Gauge	Color	Selling Unit
GLNPFL3	S-2XL	3 mil	blue	100 gloves/box, 10 boxes/case, 96 cases/pallet
GLNPFL5		5 mil		
GLNPFB4	XS-2XL	4.5 mil	black	
GLNPFB		5 mil		



NITRILE EXAM

• Chemical resistant
• Excellent dexterity and comfort

Item ID	Sizes	Gauge	Texture	Color	Selling Unit
GLNMPFL*	S-2XL	4 mil	finger	blue	100 glvs/bx, 10 bxs/cs, 96 cs/plt
GLNMPFLE		4 mil	full		
GLNMPFL8* (w/12" extended cuffs)		8 mil	full		
GLNMPFB4		4 mil	finger		
GLNMPFB\$		6 mil	full	black	100 glvs/bx, 10 bxs/cs, 72 cs/plt
GLNMPFB6\$		6 mil	finger		
GLNMPFO5		5 mil	full		

* Approved for Chemotherapy use \$ Approved for Fentanyl handling



HDPE HIGH DENSITY POLYETHYLENE

• Ambidextrous fit

Item ID	Sizes	Gauge	Color	Selling Unit
GLP12PEC	M-XL	12 mic	clear	500 glvs/bx, 20 bxs/cs, 40 cs/plt



VINYL NON-EXAM

• Latex-free
• Form fitting design

Item ID	Sizes	Gauge	Color	Selling Unit
GLVPFN	S-XL	5 mil	clear	100 glvs/bx, 10 bxs/cs, 72 cs/plt
GLVPFL			blue	



VINYL EXAM

• Latex-free
• Soft touch and comfortable fit

Item ID	Sizes	Gauge	Color	Selling Unit
GLVMPFN	S-2XL	5 mil	clear	100 glvs/bx, 10 bxs/cs, 72 cs/plt



YOUR SOURCE FOR INDUSTRIAL PACKAGING, JAN/SAN AND SAFETY SUPPLIES



NI-BRID NITRILE/VINYL HYBRID

- Excellent dexterity and comfort
- Nitrile alternative with 350% stretch



Item ID	Sizes	Gauge	Color	Selling Unit
GLVNMPFL	S-XL	5 mil	blue	100 glvs/bx, 10 bxs/cs, 96 cs/plt
GLVNMPFB			black	

LATEX NON-EXAM

- Excellent dexterity and comfort, with increased durability

Item ID	Sizes	Gauge	Color	Selling Unit
GLLPFN	S-XL	5.3 mil	natural	100 glvs/bx, 10 bxs/cs, 72 cs/plt



LATEX EXAM

- Exceptional comfort, fit and elasticity
- Superior protection against viral transmission

Item ID	Sizes	Gauge	Color	Selling Unit
GLLMPFN	S-XL	5 mil	natural	100 glvs/bx, 10 bxs/cs, 72 cs/plt



POWDERED DISPOSABLE

LATEX NON-EXAM

- 100% natural rubber latex
- Comfortable fit and increased durability
- Easier to put on than non-powdered gloves, especially in busy situations



Item ID	Sizes	Gauge	Color	Selling Unit
GLLPDN	S-XL	4.5 mil	natural	100 glvs/bx, 10 bxs/cs, 72 cs/plt

REUSABLE

CUT-RESISTANT (ASTM LEVEL 3)

- Nitrile-dipped palm provides superior grip
- Made of HPPE & glass fibers

Item ID	Sizes	Gauge	Color	Selling Unit
GLCR3	S-2XL	13	grey/ black	10 dz pair/cs, 24 cs/plt



STRING KNIT

- Washable cotton/poly blend
- Elastic knit wrists protects hands from debris
- Can be used alone or with a glove liner

Item ID	Sizes	Description	Color	Selling Unit
GLSKL	Male-M	no dots	tan	25 dz pair/cs, 24 cs/plt
GLSKS	Female-M			
GLSDL	Male-M	PVC single-dotted	tan/ black	20 dz pair/cs, 24 cs/plt
GLSDS	Female-M			
GLDDL	Male-M	PVC double-dotted	tan/ black	20 dz pair/cs, 24 cs/plt
GLDDS	Female-M			

BROWN JERSEY

- Ideal for light duty applications
- Breathable to keep hands cool

Item ID	Sizes	Color	Selling Unit
GLBJL	Male-M	brown	25 dz pair/cs, 20 cs/plt
GLBJS	Female-M		



NITRILE-DIPPED NYLON

- Exceptional durability and dexterity
- Chemical resistant

Item ID	Sizes	Gauge	Color	Selling Unit
GLNDPB	S-2XL	13	grey/ black	25 dz pair/cs, 32 cs/plt



RESPIRATORY PROTECTION

DISPOSABLE FACE MASKS

- Three layers of protection
- Elastic ear loops
- Adjustable nose piece for excellent fit
- For non-sterile/non-medical use only

Item ID	Description	Color	Selling Unit
MSKGDNWLA	3-Ply, Adult	blue	50 pcs/bx, 40 bx/cs, 24 cs/plt
MSKGDNWKLA	3-Ply, Child	blue	50 pcs/bx, 40 bx/cs, 24 cs/plt
		white	
MSKKNWCV	KN95, C Style	white	50 pcs/bx, 20 bx/cs, 20 cs/plt



N95 RESPIRATOR

- NIOSH certified
- Provides $\geq 95\%$ filter efficiency
- Cup shape with adjustable metal nose piece
- Disposable, single use

Item ID	Size	Color	Selling Unit
RES-N95NV	140 mm x 125 mm x 52 mm	white	20 pcs/bx, 20 bx/cs, 30 cs/plt



PROTECTIVE APPAREL

LAB COATS

- 4 snaps and neck/waist ties for secure closure
- No pockets



Item ID	Sizes	Description	Color	Selling Unit
LCMPW	S - 3XL	50G, microporous, with 4 snap closure, elastic wrists	white	25 pcs/cs, 80 cs/plt
LCPPW	S - 3XL	30G, polypropylene, with 4 snap closure, elastic wrists		25 pcs/cs, 60 cs/plt

COVERALLS

Item ID	Sizes	Description	Color	Selling Unit
CAMPW	M - 5XL	55G, microporous, with hood, elastic cuffs, ankles & waist	white	25 pcs/cs, 32 cs/plt
CAPPW	M - 4XL	25G, polypropylene, with hood, elastic cuffs, ankles & waist		25 pcs/cs, 48 cs/plt



CAMPW

- Protects against dry and liquid particulates
- Microporous polypropylene material with seamless front
- Meets ANSI/ISEA 101-2014 standard
- Passes ASTM F1670 testing for penetration of blood and body fluids



CAPPW

- Designed for comfort with extended use
- Disposable and economic
- Meets ANSI/ISEA 101-2014 standard
- Made of spun-bonded polypropylene
- 100% latex free
- Ideal for non-hazardous environments

ISOLATION GOWNS

- Measures 47" x 55"
- Neck and waist ties, Elastic cuffs
- Excellent fluid protection
- Approved for non-surgical use

Item ID	Description	Color	Selling Unit
GNCPE4779LT	Cast polyethylene	blue	10 pcs/bag
GNPP4755LT	Polypropylene		



DISPOSABLE APRONS

- Economic protection for food service employees
- Lightweight and comfortable
- Intended for one-time use only

Item ID	Size	Color	Selling Unit
AP2846W	28" x 46"	white	100 pcs/bag, 10 bags/cs, 60 cs/plt
AP2846L		blue	



OVERSLEEVES

- Provides basic forearm protection
- Elastic bands around the top and bottom ensure a secure fit
- Excellent for food service industry
- Intended for one-time use only

Item ID	Size	Color	Selling Unit
OS18W	18"	white	1000 pcs/cs, 60 cs/plt
OS18L		blue	



SHOE COVERS

- Elastic ankle band provides snug fit around shoes, eliminating contamination
- Low-skid bottom with slip-resistant soles
- Intended for one-time use only

Item ID	Size	Description	Color	Selling Unit
SCPPL	40 cm x 17 cm	Polypropylene	blue	100 pcs/bag, 3 bags/cs, 72 cs/plt
SCPPL-XL	45 cm x 21 cm			
SCCPEL	40 cm x 15 cm	Cast polyethylene	blue	100 pcs/bag, 20 bags/cs, 72 cs/plt
SCCPEXL	45 cm x 15 cm			



EYE PROTECTION

- One size fits all
- High impact resistance
- Good for general purpose and industrial use
- Not for medical use

Item ID	Description	Selling Unit
SGOASFC	Wraparound ANTI-FOG Safety Goggles with clear lenses, ANSI & CE, anti-scratch	10 pairs/bx, 20 bx/cs, 12 cs/plt
SGAASC	Wraparound Safety Glasses with clear lenses, ANSI & CE, anti-scratch	12 pairs/bx, 12 bx/cs, 48 cs/plt
SG-SS97104	Side Shields, 1.75" X 1.75" X .7", clear, slip-on	12 pairs/bx, 48 bx/cs



HEARING PROTECTION

EAR MUFFS

- Comfortable ear cups for extended wear
- Noise Reducing Rating 25
- Adjustable headband makes it one-size-fits-all
- Ideal for construction or industrial environments


Item ID	Color	Selling Unit
HPEM	orange, black	25 pcs/cs, 27 cs/plt



EAR PLUGS

- Made of self-adjusting polyurethane foam
- SLC80 25dB Class 4
- Approved to AS/NZS 1270:2002

Item ID	Description	Color	Selling Unit
HP-M92250	Max-Lite, NO CORD	green	200 pairs/bx, 56 bx/plt
HP-L92260	Laser-Lite, NO CORD	yellow, pink	
HP-M92255	Max-Lite, W/ CORD	green, yellow	100 pairs/bx, 56 bx/plt
HP-L92265	Laser-Lite, W/ CORD	yellow, pink	



HAIR COVERINGS

HAIR NETS

- Breathable and comfortable material
- Elastic band keeps hairnet in place without ties
- Ideal for food service industry

Item ID	Size	Color	Selling Unit
HN18W	18"	white	100 pcs/bag, 10 bags/cs, 60 cs/plt
HN21W	21"		
HN24W	24"		
HN18B	18"	black	
HN21B	21"		
HN24B	24"		



ALL-IN-ONE HOODS

- Bouffant and beard cover combined
- Elastic band keeps hood in place
- Ideal for food service industry

Item ID	Size	Color	Selling Unit
HDPP21W	21"	white	100 pcs/bag, 10 bags/cs, 20 cs/plt
HDPP21L	21"	blue	



BEARD COVERS

- Soft and lightweight
- Elastic band keeps cover in place

Item ID	Size	Color	Selling Unit
BECW	Single Loop	white	100 pcs/bag, 5 bags/cs, 100 cs/plt



BOUFFANT CAPS

- Provides protection from dry particulates
- Controls and protects hair in medical and food industry environments

Item ID	Size	Color	Selling Unit	Item ID	Size	Color	Selling Unit
MC21W	21" Pleated	white	100 pcs/bag, 10 bags/cs, 56 cs/plt	BC18L	18" 10g	blue	100 pcs/bag, 10 bags/cs, 60 cs/plt
MC21B	21" Pleated	black		BC21L	21" 10g		
BC18W	18" 10g	white	BC24L	24" 10g			
BC21W	21" 10g		BC24R	24" 10g	red		
BC24W	24" 10g		BC24Y	24" 10g	yellow		
BC28W	28" 10g		BC24G	24" 10g	green		



HARD HATS

- Cap-style, Type 1, Class E
- Meets ANSI Z89.1-2014 standard
- 4 point ratchet headband
- Comfort fit suspension system

Item ID	Color	Selling Unit
HH4PRG	green	16 pcs/cs, 24 cs/plt
HH4PRL	blue	
HH4PRW	white	
HH4PRY	yellow	
HH4PRR	red	



MEDICAL KITS

- Kits include individual bandages, gauze, adhesive tape, anti-septic, cold compress packs, scissors, tweezers
- Contents will vary depending on the size of the kit
- Kits have met ANSI safety product standards

Item ID	Capacity	Size
FAK10P	10 people	20" x 17" x 7.5"
FAK25P	25 people	20" x 17" x 8"
FAK50P	50 people	
FAK-FULL11016	16 people	21.5" x 12.5" x 10.5"
FAK-FULL11024C	24 people	

PLASTIC KITS



Item ID	Capacity	Size
FAK25	25 people	22" x 16" x 8.5"
FAK50	50 people	
FAK75 (mountable)	75 people	17" x 11.5" x 5", 2 shelves
FAK100 (mountable)	100 people	18.25" x 14.75" x 6", 3 shelves
FAK-10322	empty	17" x 11.5" x 5", 2 shelves
FAK-10323		18" x 15" x 6", 3 shelves
FAK-10324		24" x 16" x 6", 4 shelves
FAK-10325		30.5" x 20" x 6.25", 5 shelves



METAL KITS



THERMOMETERS

Item ID	Description	Includes
NCPATISS	Infrared Temperature Screening System	Double light tube machine, centrally controlling machine set and tripod stand.
NCTMPFHH01	Professional Thermometer	High Temperature Alarm. LCD Screen. Intelligent Power Saving. Requires 2 AAA batteries
NCTMMDHH01	Medical Thermometer	High Temperature Alarm. LCD Screen. Intelligent Power Saving. Requires 2 AAA batteries
Professional Thermal Imager		
NCTIPFHF01	Imager	
PTIMK	Imager and 58" tripod stand	
PTISK	Super Kit	Imager, tripod stand, pocket PC, display screen and wireless keyboard mouse
Miscellaneous Imager Accessories		
TP5814	58" Tripod Stand, 1/4" Socket	n/a
PPC	Pocket PC - used to install Thermal Imager PC Software	
DS24	24" Display Screen with HDMI connection	
WKM	Wireless Touch Keyboard	

- Can capture non-stop batch of infrared temperatures
- Optimum measuring distance of 4 meters



- Optimum measuring distance of 3 cm - 5 cm



- Optimum measuring distance of 5 cm - 15 cm

- 2.8" LCD Monitor
- Scan temperature from 3 feet away with minimal face-to-face interaction

